

Contact Dr. James O'Meara Address 5201 University Blvd, aredo TX78041-1900 Phone:956-326-2427 Web Addresswww.tamiu.edu/coedu Program TypeUniversity Undergraduate; Post Baccalaureate; Alternationstitution Type: University

Texas A&M International University Minimum Accountability Standards – TEC 21.045(a)

Standard	2015-2016	2016-2017	Statewide 2016-2017
Accreditation Status	Accredited		

Indicator 4b:Quality of Field Supervision	94%	94%	95%
Indiantan E. Ontinfontian attinut Tanahawa			

Indicator 5: Satisfaction of New Teachers

Texas A&M International Universitynnual Performance Report Indicators – TEC 21.045(b)

Standard	2015-2016	2016-2017	Statewide 2016-2017
Acceptance Rate	79%	97%	56%
Applied	258	285	71,499
Admitted ¹²	204	276	40,392
Retained in Program	413	317	91,227
Completed the Program	74	97	22,554
Number Fully Certified⁵	73	67	18,258
Percent Fully Certified	90%	91%	89%
Number Employed Within a Year of Compiler ¹⁶	71	68	17,717
Percent Employed Within a Year of Completion	87%	84%	85%
AverageLength of Probationary Certification (days)	481	522	405

2016-2017 A



2016-2017 Accountability System for Educator Preparation Annual RepOrteber 24, 2018

1. According to TEC §21.045 and §21.0451, accreditation status should be based on: (1) results of the certification **Desca**(2) appraisals of firstear teachers, (3) achievement of students taught by beginning teachers, and (#) equency, duration, and quality of structural guidance and ongoing support provided by field supervisors that prepared them while in the **pindg**(a) is urvey of new teachers. Accreditation status reports are available on <u>othesumer information page</u> the TEA Web site.

2. Percentage of individuals that the program reported as completers who passed the certification examinations required for the certification they purstaded with example to the average to be passing percentage for all the individual program second examine the final year for pass rates to be calculated in this way.

3. The percet of individuals who pass a TExEDs .3.